

SODIUM CHLORIDE- sodium chloride irrigant
Baxter Healthcare Corporation

Directions for Use of Flexible Plastic Irrigation Containers

If desired, warm in overwrap to near body temperature in a water bath or oven heated to not more than 45°C.

Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration whenever solution and container permit.

DIRECTIONS FOR USE

Tear overwrap down side at slit and remove solution container. Visually inspect the container. If the outlet port protector is damaged, detached, or not present, discard container as solution path sterility may be impaired. Some opacity of the plastic due to moisture absorption during the sterilization process may be observed. This is normal and does not affect the solution quality or safety. The opacity will diminish gradually. Check for minute leaks by squeezing bag firmly. If leaks are found, discard solution as sterility may be impaired.

Use Aseptic Technique.

1. Suspend container using hanger hole.
2. Remove plastic protector from outlet port at bottom of container.
3. Attach irrigation set. Refer to complete directions accompanying set.

Exposure of pharmaceutical products to heat should be minimized. Avoid excessive heat. It is recommended the product be stored at room temperature (25°C); brief exposure up to 40°C does not adversely affect the product.

Baxter Healthcare Corporation
Deerfield, IL 60015 USA

Printed in Mexico

©Copyright 1980, 1984, 1989, Baxter Healthcare Corporation.
All rights reserved.

Rev. May 2017

88-80-31-833

PRINCIPAL DISPLAY PANEL - PACKAGING LABELING

leaks are found **Rx Only** Store unit in
moisture barrier overwrap at room
temperature (25°C) until ready to use Avoid
excessive heat See insert

0.9%

Sodium Chloride

NaCl

Irrigation USP

UROMATIC container

PL 146 plastic

BAXTER UROMATIC and PL 146 are
trademarks of Baxter International Inc

For product information
1-800-933-0303

Baxter Logo
Baxter Healthcare Corporation
Deerfield, IL 60015 USA

Made in Mexico

2700

2400

2100

1800

1500

1200

900

600

300

2B7127

4-3000 ML
VIAFLEX® CONTAINER

0.9% SODIUM CHLORIDE
IRRIGATION, USP

EXP



LOT



2B7127

4-3000 ML
VIAFLEX® CONTAINER
0.9% SODIUM CHLORIDE
IRRIGATION, USP
EXP
BAR CODE
(17) 180400 (10) V16028A
LOT
BAR CODE
(01) 50303380047470

SODIUM CHLORIDE				
sodium chloride irrigant				
Product Information				
Product Type		HUMAN PRESCRIPTION DRUG	Item Code (Source)	
			NDC:0338-0047	
Route of Administration		IRRIGATION		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:L4M0NH37, CHLORIDE ION - UNII:Q32ZN48698)			SODIUM CHLORIDE	900 mg in 100 mL
Inactive Ingredients				
Ingredient Name			Strength	
Water (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0338-0047-44	14 in 1 CARTON	05/30/1980	
1		1000 mL in 1 BAG; Type 0: Not a Combination Product		
2	NDC:0338-0047-46	6 in 1 CARTON	05/30/1980	
2		2000 mL in 1 BAG; Type 0: Not a Combination Product		
3	NDC:0338-0047-47	4 in 1 CARTON	05/30/1980	
3		3000 mL in 1 BAG; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA		NDA017867	05/30/1980	

Labeler - Baxter Healthcare Corporation (005083209)

Establishment

Name	Address	ID/FEI	Business Operations
Baxter Healthcare Corporation		059140764	ANALYSIS(0338-0047) , LABEL(0338-0047) , MANUFACTURE(0338-0047) , PACK(0338-0047) , STERILIZE(0338-0047)

Establishment

Name	Address	ID/FEI	Business Operations
Baxter Healthcare Corporation		194684502	ANALYSIS(0338-0047)

Establishment

Name	Address	ID/FEI	Business Operations
Baxter, S.A. de C.V.		810432484	ANALYSIS(0338-0047) , MANUFACTURE(0338-0047) , LABEL(0338-0047) , PACK(0338-0047) , STERILIZE(0338-0047)

Revised: 5/2017

Baxter Healthcare Corporation